



ITT

BRWWS

Goulds Pumps

Wastewater Pumps, Basin Packages,
Control Panels and Accessories



Engineered for life

Sump Pumps



Pump Specifications

Submersible Sump And Utility/Drainage Pumps

Models

ST, CVP, SP, LSP, 1DW, 2DW

Materials of Construction

Cast Iron
Engineered Composites
Stainless Steel

Performance Range

Up to 110 GPM
 $\frac{1}{3}$ - $1\frac{1}{2}$ HP
Single And Three Phase
Maximum Head 66'
Solids Up To $\frac{3}{8}$ "
Discharge Size: $1\frac{1}{2}$ " NPT And 2" Hose

Features and Benefits

- Automatic And Manual Models Available
- Motors Rated For Continuous Duty
- CSA And UL Listed Models Available



Tested to UL778 and
CSA 22.2 108 Standards
By Canadian Standards Association

Submersible Effluent Pumps



Pump Specifications

Submersible Effluent Pump For Liquids Containing Solids Up To $\frac{3}{4}$ ".

Models

1SC, 2ED, EP, PE, WE, SE

Materials of Construction

Cast Iron
Engineered Composites
Stainless Steel

Performance Range

Up To 130 GPM
 $\frac{1}{3}$ - 2 HP
Single And Three Phase
Maximum Head 240'
Discharge Size: $1\frac{1}{2}$ " and 2" NPT

Features and Benefits

- Silicon Carbide Outer Mechanical Seal Faces Standard - 1SC, WE, 2ED
- Motors Rated for Continuous Duty
- Silicon Bronze Impeller Available (2ED)
- Dual Seal Model With Seal Fail Probe (2ED)
- Multi Stage Design (1SC and SE) for $\frac{1}{8}$ " solids



Tested to UL778 and
CSA 22.2 108 Standards
By Canadian Standards Association

Submersible Sewage Pumps



Pump Specifications

Submersible Sewage Pumps For Liquids Containing 2" to 3" Solids

Models

WW05, PS, PV, 1DM/2DM, 1DV/2DV, 2WD/3WD, 3SD/4SD, WS__B, WS__BF (BHF), WS__D3, WS__D4, 3SDX, 4SDX, 4NS, 4XD

Materials of Construction

Cast Iron
Stainless Steel

Performance Range

Up To 1150 GPM
 $\frac{1}{3}$ - 40 HP
Single And Three Phase
Maximum Head To 140'
Discharge Size: 2", 3" NPT
And 3" And 4" Flanged

Features and Benefits

- Silicon Carbide Mechanical Seal Faces Standard on 2WD/3WD, 3SD/4SD, WS__B, WS__BF (BHF), WS__D3, WS__D4 models
- Dual Seal Models With Seal Fail Probe
- Motors Rated For Continuous Duty
- Silicon Bronze Impeller Available
- Models 3SDX, 4SDX And 4XD Explosion Proof Rated



Tested to UL778 and
CSA 22.2 108 Standards
By Canadian Standards Association

Submersible Grinder Pumps



Pump Specifications

Submersible Grinder Pumps For
Pressurized Sewage Systems

Models

RGS, 1GD, 1GA, 2GA

Materials of Construction

Cast Iron
Silicon Bronze
Hardened Steel

Performance Range

Up To 200 GPM
2, 3, 5, And 7½ HP
Single And Three Phase
Maximum Head 180'
Solids Up To 3"
Discharge Size: 1¼", 1½", And
2" NPT

Features and Benefits

- Dual Seal Models With Seal Fail Probe
- Hard Faced Outer Mechanical Seals Standard
- Motors Rated for Continuous Duty
- Explosion Proof Models Available
- RGS2012P has a cord with plug for connection to a piggyback float switch



Tested to UL778 and
CSA 22.2 108 Standards

By Canadian Standards Association



Pump / Basin Packages



Pump Specifications

- Packaged Systems For Ease Of Installation
- Plumber Assembled Packages

Models

- Grinder, Effluent and Sewage Models Available

Materials of Construction

- Fiberglass Basins Can Be Engineered and Assembled For Delivery To Your Site
- Ribbed Polyethylene Basins with Structural Foam Covers Assembled and In Stock
- Roll Top Polyethylene Basins with Structural Foam Cover Assembled and In Stock

Features and Benefits

- Supplied Completely Assembled
- OR
- You Can Install Piping To Your Needs.
 - Systems Available With 1¼" - 4" Piping

Contact Your Goulds Pumps
Distributor For All Your Custom
Basin Requirements.

CentriPro Accessories



Specifications

Full Line Of Pump and Control Accessories

Control Panels

- Stock Controls Feature The Most Popular Options
- Available In Simplex and Duplex Designs
- Goulds Pumps Can Custom Build A Control To Your Specification
- Many Panel Styles In Stock For Immediate Delivery

Float Switches

- Control Type
- Direct Connection For Up To 20 Amps

Piping And Accessories

- Check Valves
- Guide Rail Systems
- Pipe Fittings
- Junction Boxes

Contact Your Goulds Pumps Distributor
For All Your Custom Control Require-
ments.

“The trusted Goulds Pumps name...”

Over 150 years ago in Seneca Falls NY, Seabury S. Gould cast the world's first all metal pump. This was a major step in building a business that would grow into one of the largest pump manufacturers in the world, with more than 5,000 employees, doing business in more than 100 countries.

Today, Goulds Pumps is an integral part of ITT Industries, the world's largest and premier pump manufacturer.

The trusted Goulds Pumps name can be found on a full range of pump products. Goulds Pumps is a global leader in producing pumps for the industrial sector, and a major player in the water technologies market, producing the world's leading line of residential water well pumps. The Goulds Pumps' product portfolio includes submersible and lineshaft turbine, 4" submersible, jet, sump, effluent, sewage and centrifugal, as well as double suction, multi-stage, slurry and process pumps.



Products are manufactured in the U.S., with facilities in New York, Pennsylvania, California and Texas, and foundries in three U.S. locations. An advanced R&D facility in Seneca Falls keeps Goulds Pumps on the leading edge of pump-related technology.

Outside North America, Goulds Pumps Europe is headquartered in London, England, with associated sales, assembly, warehouse service and distribution facilities located throughout the United Kingdom, Europe, Africa and the Middle East. Goulds Pumps' Latin American operations are based in Mexico City, while extensive business activities in the Asia/Pacific region are conducted out of a headquarters office in Singapore.

While strengthened by the considerable resources of ITT Industries, Goulds Pumps continues to lead its market segments through the introduction of innovative and efficient products designed to meet the vital needs of people and industries around the globe.

ITT
2881 East Bayard Street
Seneca Falls, NY 13148
Phone: (315) 568-7123
Fax: (315) 568-7973
www.goulds.com

Copyright © 2009 ITT Corporation BRWWS February, 2009
SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Printed in U.S.A.



Engineered for life